


TCP Nut



Description

Advantages

Applications

Solutions



Main technical characteristics

COLOUR Grey RAL
7035

 PG 7, PG 9, PG11, PG13, PG16, PG21, PG29, PG36, PG42, PG48, M12, M16, M20, M25, M32, M40, M50, M63

 Polyamide 6

 -25 / 105
°C

 LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA

ETIM 10
EC000940

Product data

			Ref	kg/u	
PG 7	5	19	40020007	0,001	100
PG 9	5	22	40020009	0,002	100
PG11	5	24	40020011	0,001	100
PG13	6	27	40020013	0,002	100
PG16	6	30	40020016	0,003	100
PG21	7	36	40020021	0,003	100
PG29	7	46	40020029	0,006	50
PG36	8	60	40020036	0,013	25
PG42	8	65	40020042	0,013	25
PG48	8	70	40020048	0,014	25
M12	5	18	40021120	0,001	100
M16	5	22	40021160	0,001	100
M20	6	26	40021200	0,002	100
M25	6	32	40021250	0,005	100
M32	7	41	40021320	0,005	50
M40	7	50	40021400	0,007	25
M50	8	60	40021500	0,010	25
M63	8	75	40021630	0,016	25

© Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Reijband, Pemsaband, Inducanal, Reijtech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



TCP Nut

- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

