EMC Nut



Description

Advantages

Applications

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

Ⓢ LTN | Ⓕ Nickel-plated brass | PG 7, PG 9, PG11, PG13, PG16, PG21, PG29, PG36, PG42, PG48, M12, M16, M20, M25, M32, M40, M50, M63

Ⓜ Nickel-plated brass | -60 / 200 °C | LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA | ETIM 10 EC000940

Product data

			REF	kg/u	
PG 7	3.3	15	40016007	0,002	100
PG 9	3.3	18	40016009	0,002	50
PG11	3.5	21	40016011	0,003	50
PG13	3.5	23	40016013	0,003	50
PG16	3.5	26	40016016	0,004	50
PG21	4	32	40016021	0,008	25
PG29	4.6	40	40016029	0,010	20
PG36	5.6	50	40016036	0,017	10
PG42	5.6	60	40016042	0,033	5
PG48	6.1	65	40016048	0,036	5
M12	3.3	15	40017120	0,003	100
M16	3.5	19	40017160	0,004	50
M20	3.5	24	40017200	0,005	50
M25	3.5	30	40017250	0,009	25
M32	4	36	40017320	0,011	20
M40	4.6	45	40017400	0,017	10
M50	5.6	55	40017500	0,028	5
M63	6.7	70	40017630	0,038	5

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."