



## Hexagonal Set Screw



### Description

Metal bolt with hexagonal head for fixing joints, supports and channel structures for tray installations. Available in M8x15, M8x20, M8x35, M8x65, M10x20, M10x35 and M10x60. Made of steel and various Protection Systems.

### Advantages

Available in various sizes: M6, M8 and M10 and lengths, 15, 20, 35 and 60 mm according to the protection systems.

CE conformity to directive 2014/35 / EU.

Available in several protection systems: EZ, GC and AISI316L stainless steel.

### Applications

Suitable for the fixing of joints, supports and channel structures in tray installations for the management of electrical cables and / or telecommunications in public buildings, infrastructures and civil works, industrial facilities and the tertiary sector.

### Solutions



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

M 8, M10, M 6	100	-50 / 150 °C	A1 No combustible	ETIM EC002380
---	---	--	---	------------------

⑤	Class EC 61537	🏠	🏠	Ref	kg/u	Ⓜ
EZ	Class 3	M 8	20	67010065	0.014	Steel with surface coating
EZ	Class 3	M 8	35	67010066	0.020	Steel with surface coating
EZ	Class 3	M 8	15	67010068	0.013	Steel with surface coating
EZ	Class 3	M10	60	67020010	0.042	Steel with surface coating
EZ	Class 3	M 6	15	67020054	0.008	Steel with surface coating
EZ	Class 3	M10	20	67020059	0.023	Steel with surface coating
EZ	Class 3	M10	35	67020077	0.029	Steel with surface coating
EZ	Class 3	M 8	65	67020092	0.040	Steel with surface coating
GC	Class 8	M10	60	67030010	0.042	Steel with surface coating
GC	Class 8	M10	20	67030059	0.023	Steel with surface coating
GC	Class 8	M 8	20	67030065	0.014	Steel with surface coating
GC	Class 8	M 8	35	67030066	0.020	Steel with surface coating
GC	Class 8	M 8	15	67030068	0.013	Steel with surface coating
GC	Class 8	M10	35	67030077	0.029	Steel with surface coating
GC	Class 8	M 8	65	67030092	0.040	Steel with surface coating
INOX	Class 9D	M10	60	67060010	0.042	Acero inoxidable AISI 316L
INOX	Class 9D	M10	20	67060059	0.023	Acero inoxidable AISI 316L
INOX	Class 9D	M 8	20	67060065	0.014	Acero inoxidable AISI 316L
INOX	Class 9D	M 8	35	67060066	0.020	Acero inoxidable AISI 316L
INOX	Class 9D	M10	35	67060077	0.029	Acero inoxidable AISI 316L
CU	Class 1	M 8	65	82003299	0.040	Steel with surface coating

**CU** - Copper electroplated

**PG** - Pregalvanised

**EZ** - Electrogalvanised

**BC** - Electrogalvanised Bichromate

### BK8 - High Resistance Coating

**GC** - Hot Dip Galvanising

**INOX** - Stainless Steel

**PT** - Polyester Paint

**AL** - Aluminum

**LN** - Brass or Nickel-plated brass

**PC+ABS** - Halogen Free Polycarbonate + ABS



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Reijband, Pemsaband, Inducanal, Rejtech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Fixings

Hexagonal Set Screw

29/03/2024

3/3

- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

