



Hexagonal Cone Point Screw



Description

Metal bolt with hexagonal head and cone point for the connection of the fixing to the Rejiband® angle tray in beams and structures. Made of steel with BC Protection System.

Advantages

Component used for connection of the Rejiband® angle tray by means of the angle tray fastener on beams and structures.

Its conical tip allows more contact with the element to which it is screwed.

Available in metric M10.

CE conformity to directive 2014/35 / EU.

BC protection system (standard EN-ISO 2081), gold colour, better corrosion resistance, suitable for indoor installations. Corrosion resistance class 5.

Applications

Suitable for fixing the Rejiband® angle tray to beams and structures in the management of electrical cables and / or telecommunications in public buildings, infrastructures and civil works, industrial installations and tertiary sector.

Solutions



Hexagonal Cone Point Screw

Main technical characteristics

ETIM
EC002335

Product data

Ⓢ	Class 5	M10	20	Ref	kg/u	10	Ⓜ	Ⓢ	Ⓢ
BC	Class 5	M10	20	67020098	0.023	10	Steel with surface coating	-50 / 150 °C	A1 No combustible

Ⓢ Protection System

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

