


Metatray corner joint



Description

Advantages

Applications

Solutions



Main technical characteristics

Colour	Grey RAL 7035		60, 100		8		-20 / 60 °C		GRADO UL94: V0		Resistant acc. to UL568	ETIM 10 EC002413
--------	---------------	---	---------	---	---	---	-------------	---	----------------	--	-------------------------	------------------

Product data

	Ref	kg/u
60	81000282	0,061
100	81000283	0,155

 Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Product applications

